| MATERIAL SAFETY DATA SHEET | | | | | | |
|--|------------------------|-------------------------------------|-----------------------|------------------------------------|-----------------------|-----------|
| SECTION 1 - PRODUCT AND COMPANY IDENTIFICA TION | | | | | | |
| PRODUCT NAME: Part B PanShield GENERAL USE: Protective coating PRODUCT DESCRIPTION: Blue liquid, characteristic ONLY. Product characteristics described here are NO Resin is mixed with Part B. | | | | | | |
| DISTRIBUTED BY Bond Water Technologies, Inc. | | | DATE PREI SUPERSEI | | Page | 1 of 4 |
| ADDRESS (NUMBER, STREET, P.O. BOX) 630 East Diamond Avenue, Suite J/K | | TELEPHONE (301) 721-26 | | FOR INFORMATION | | |
| (CITY, STATE AND ZIP CODE) Gaithersburg, MD 20877 | COUNTRY USA | EMERGENC ^V CHEMTREC 8 | | NE NUMBER 0 | | |
| SECTION | 2 - HAZARL | S IDENTI | FICA TI | ON | | |
| Blue liquid, low volatility, eye and skin irritant. Low fire R36/38, 43, 51/53 | risk. React with a | mines to produc | e heat. Haz | ard Symbols - Xi, N. R | tisk Phrases - | |
| POTENTIAL HEALTH EFFECTS INHALATION: Corrosive and irritating to upper respirate | any tract and much | aug mambranag | | | | |
| | | | | | | |
| SKIN: Corrosive and irritating; chemical burns may result from contact; severe irritant. EYES: CORROSIVE; Contact with eyes is painful and irritating and may cause chemical burns, necrosis and permanent injury. | | | | | | |
| | | | | | | |
| INGESTION: Corrosive and irritating to digestive tract; | may cause gastric | c distress, stom | ach pains ai | nd vomiting. | | |
| CARCINOGENICITY | NTP? | No | IARC MON | OGRAPHS? No | OSHA REGULATED? | No |
| SECTION 3 - COMPOSITION / INFORMA TION ON INGREDIENTS | | | | | | |
| HAZARDOUS COMPONENTS | CAS # | EINECS # | % (by weight) | OSHA PEL | ACGIH TWA PPMMG/M3 | RQ LBS |
| Benzyl Alcohol Phenol, Isopropylated, phosphate | 100-51-6 68937-41-7 | 202-859-9 273-066-3 | 15 - 40 10 - 30 | not established not established | | |
| Isophoronediamine | 2855-13-2 | 220-666-8 | 10 - 30 | not established | | |
| Petroleum distillate, aromatic | 64742-95-6 | 265-199-0 | 1 - 5 | 100 500 | | |
| 1-Methyl-2-pyrrolidone (a,b) | 872-50-4 | 212-828-1 | 0.5 - 1.0 | 100 | | |
| Benzene 1,3-dimethaneamine (c) | 1477-55-0 | 216-032-5 | 3 - 7 | 0.1 C | 0.1 C | |
| Phosphoric acid, triphenyl ester | 115-86-6 | 204-112-2 | 5 - 10 | 3 | 3 | |
| Salicylic acid (d) | 69-72-7 | 200-712-3 | 1 - 5 | not established | | |
| (a) See Section 15 | | | | | | |
| | | | | | | |

(b) California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986, chemicals known to the state to cause cancer or reproductive toxicity. A person

in the course of doing business must warn others who may consume, come into contact with, or otherwise be exposed to this chemical. (c) A "C" in the OSHA PEL or ACGIH TWA column indicates ceiling limits, the concentration that should not be exceeded during any part of the working exposure.

(d) Ingredients included in the Canadian Ingredient Disclosure List are one of the four categories of ingredients whose identity and concentration must be disclosed on an MSDS if found in a controlled product above the concentration cut-off.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Part B PanShield

SECTION 4 - FIRST AID MEASURES

INHALATION: Remove affected person to fresh air; wash mouth and nasal passages with water repeatedly; if breathing difficulties persist seek medical attention.

SKIN: Wash contacted area with soap and water; DO NOT attempt to neutralize with chemical agents; if irritation persists, seek medical attention.

EYES: Check for and remove contact lenses. Immediately flush eyes for 15 minutes in clear running water while holding eyelids open; seek medical attention immediately.

INGESTION: Drink large quantities of water; never give anything by mouth to an unconscious person; DO NOT induce vomiting, aspiration of this product during induced vomiting can result in severe lung injury; seek medical attention immediately.

| SECTION | 15 - FIRE FIGHTING N | <i>IEASURES</i> | |
|--|--------------------------------------|-----------------------------------|-----------------------------------|
| FLASH POINT (METHOD USED) | FLAMMABLE LIMITS | Not applicable | Not applicable |
| > 200° F (> 93.3° C) GENERAL HAZARDS: Product will support combustion | AUTOIGNITION TEMPERAT | URE | NEPA CLASS IIIR en and oxygen, |
| including carbon monoxide. | | | |
| EXTINGUISHING MEDIA Carbon dioxide, water fog, dry chemical, chemical foa | ım. | | |
| FIRE FIGHTING PROCEDURES Firefighters must wear full facepiece self - contained be stream will scatter and spread fire. Fine water spray of | | | stream of water since |
| UNUSUAL FIRE AND EXPLOSION HAZARDS Closed containers can explode due to buildup of press product may reignite on water surface. Caution - Mate | | at. Do not use direct stream of | water on pool fires as |
| HAZARDOUS COMBUSTION PRODUCTS Smoke, fumes or vapors, oxides of carbon, ammonia. | | | |
| SECTION 6 - A | ACCIDENTAL RELEAS | SE MEASURES | |
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEA into approved absorbent; place material into approved of requirements. Do not discharge into lakes, ponds, strea | containers for disposal; refer to SA | | |
| SECTIOI | N 7 - HANDLING AND | STORAGE | |
| PRECAUTIONS TO BE TAKEN IN HANDLING AND S protect from extreme temperatures, open flames. CAU chemicals out of reach of children. | | | |
| SECTION 8 - EXPOSU | IRE CONTROLS / PEF | RSONAL PROTECTI | ON |
| ENGINEERING CONTROLS | | | |
| The use of local exhaust ventilation is recommended to Use corrosion-resistant, explosion-proof ventilation equ | | e. Provide mechanical ventilat | ion of confined spaces. |
| PERSONAL PROTECTION: | | | |
| RESPIRATORY PROTECTION: None required while the limits, NIOSH approved respirator must be worn. Referregulations. | | | |
| PROTECTIVE GLOVES: Neoprene, butyl or nitrile rubb | - | | |
| EYE PROTECTION: Chemical splash goggles. Refer to | o 29 CFR 1910.133, ANSI Z87.1, | or European Standard EN166. | |
| OTHER PROTECTIVE CLOTHING OR EQUIPMENT: eyewash station nearby. | Coveralls, apron, or other equipn | nent should be worn to prevent | skin contact, safety |
| WORK / HYGIENIC PRACTICES: Practice safe workp | lace habits. Minimize body conta | ct with this, as well as all chen | nicals in general. |

Page 2 of 4

| MATERIAL SAFETY DATA SHEET | | | | | |
|---|--|--|--|--|--|
| PRODUCT NAME: Part B PanShield | | | | Page 3 of 4 | |
| SECTION 9 - PHY | SICAL AN | D CHEMIC | AL PROPERTIES | | |
| APPEARANCE AND ODOR Blue liquid, characteristic odor | | | NSITY (AIR = 1) | | |
| SPECIFIC GRAVITY (WATER = 1) 1.070 | | EVAPORATION RATE (Water = 1) Not applicable | | | |
| SOLUBILITY IN WATER Negligible | % VOLATILE (BY WEIGHT) < 5% | | | | |
| pH Not applicable | | VAPOR PRESSURE Not applicable | | | |
| BOILING POINT Not applicable | FREEZING POINT Not determined | | | | |
| VISCOSITY 5800 centipoise @ 77° F | VOLATILE ORGANIC COMPOUNDS (VOC's) 50 grams / liter | | | | |
| SECTION 10 | - STABIL IT | | | | |
| STABILITY UNSTABLE: STABLE: | x | CONDITIONS T | O AVOID: Extreme temperature | s, open flames. | |
| INCOMPATIBILITY (MATERIALS TO AVOID): Strong ox | didizers, strong a | cids, strong alkal | ies. | | |
| HAZARDOUS DECOMPOSITION OR BYPRODUCTS: carbon, hydrocarbons, fumes or vapors, and smoke may | | rill not occur if ha | ndled and stored properly. In c | ase of a fire, oxides of | |
| HAZARDOUS POLYMERIZATION MAY OCCUR: WILL NOT OCCUR: | x | CONDITIONS T | O AVOID: None | | |
| SECTION 11 - 7 | OXICOLO | GICAL INF | ORMA TION | | |
| Hazardous Ingredients | CAS # | EINECS # | LD50 of Ingredient Species and Route | LC50 of Ingredient Species | |
| Benzyl Alcohol | 100-51-6 | 202-859-9 | 1 230 mg / kg Oral - rat | 2000 ppm 4H (LCLo) Inhalation - rat | |
| Phenol, Isopropylated, phosphate | 68937-41-7 | 273-066-3 | > 5,000 mg / kg Oral - rat | Not established | |
| Isophoronediamine | 2855-13-2 | 220-666-8 | Not established | Not established | |
| Petroleum distillate, aromatic | 64742-95-6 | 265-199-0 | Not determined | Not determined | |
| 1 -Methyl-2-pyrrolidone (a,b) | 872-50-4 | 212-828-1 | 3914 mg / kg Oral - rat | Not established | |
| Benzene 1,3-dimethaneamine (c) | 1477-55-0 | 216-032-5 | 930 mg / kg Oral - rat 0700 ppm / 1H Inhalation - rat | | |
| Phosphoric acid, triphenyl ester | 115-86-6 | 204-112-2 | 3500 mg / kg Oral - rat | 4200 mg / m3 Inhalation - mammal | |
| Salicylic acid (d) | 69-72-7 | 200-712-3 | 891 mg / kg Oral - rat | > 900 mg / m3 / 1H Inhalation - rat | |
| SECTION 12 | - ECOLOGI | ICAL INFO | RMA I ION | | |
| No data are available on the adverse effects of this material on the environment. Neither COD nor BOD data are available. Based on the chemical composition of this product it is assumed that the mixture can be treated in an acclimatized biological waste treatment plant system in limited quantities. However, such treatment should be evaluated and approved for each specific biological system. None of the ingredients in this mixture are classified as a Marine Pollutant. | | | | | |
| SECTION 13 - DISPOSAL CONSIDERA TIONS | | | | | |
| WASTE DISPOSAL METHOD: Dispose of in accordance with local, state, and federal regulations. Refer to 40 CFR 260 - 299 for complete waste disposal regulations for corrosive and ignitable materials. Consult your local, state, or federal agency before disposing of any chemicals. According to the European Waste Catalogue, waste codes are application specific and should be assigned by the user based on the application for which the product is used. | | | | | |
| PROPER SHIPPING NAME: Corrosive liquid, basic, organic, n.o.s. (m-xylylenediamine) | | | | | |
| DOT HAZARD CLASS / Pack Group: 8 / III 8 / | | | | | |
| REFERENCE: 49 CFR 173.154, .203, .241 IMDG HAZARD CLASS: 87 UN / NA IDENTIFICATION NUMBER: UN 3267 RID/ADR Dangerous Goods Code: 8 | | | | | |
| LABEL: CORROSIVE UN TDG Class / Pack Group: 8 / III | | | | | |
| HAZARD SYMBOLS: C Hazard Identification Number (HIN): 80 Note: Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United | | | | | |
| Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping. | | | | | |

| PRODUCT NAME: Part B PanShield | | | Page 4 of 4 | | | |
|--|--|---|---|--|--|--|
| SECTION 15 - REGULA TORY INFORMA TION | | | | | | |
| SECTION 13 | | | | | | |
| TSCA (Toxic Substance Control Act) All components of this product are listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory) or are exempted from listing because a Low Volume Exemption has been granted in accordance with 40 CFR 723.50. SARA TITLE III (Superfund Amendments and Reauthorization Act) 31 1/312 Hazard Categories Immediate health | | | | | | |
| 313 Reportable Ingredients: (a) Indicates a toxic chemical subject to annual reporting requirements of Section 313 of the Emergency Planning and Community Right-To- Know Act of 1986 and of 40 CFR 372. | | | | | | |
| CERCLA (Comprehensive Response Compensation and I None | Liability Act) | | | | | |
| California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986 There is a reportable chemical present (1-Methyl-2-pyrrolidone) known to the state of California to cause cancer or reproductive toxicity. CPR (Canadian Controlled Products Regulations) This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. WHMIS Classification: D2B - Eye irritation; D2B - Skin Sensitization IDL (Canadian Ingredient Disclosure List) Components of this product identified by CAS number and listed on the Canadian Ingredient Disclosure List are shown in Section 3. DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List) Components of this product identified by CAS number are listed on the DSL or NDSL, or are otherwise in compliance with the New Substances Notification (NSN) regulations. Only ingredients classified as "hazardous" are listed in Section 3 unless otherwise indicated. EINECS (European Inventory of Existing Commercial Chemical Substances) Components of this product identified by CAS numbers are on the European Inventory of Existing Commercial Chemical Substances) | | | | | | |
| | /bK Index: A III | | | | | |
| Risk Phrases R36/38 Irritating to eyes and skin. R43 May cause sensitization by skin contact. R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. | SYMBOL(S) REQUIRED FOR LABEL Irritant Environmental Hazard | Safety Phrases S23 Do not breathe vapour. S26 In case of contact with eyes, rins with plenty of water and seek medical S28 After contact with skin, wash in plenty of soap and water. S36/37/39 Wear suitable protective cl and eye/face protection. | advice. mediately with | | | |
| SECTION 16 - OTHER INFORMA TION | | | | | | |
| Specific toxicity tests have not been conducted on this product. Our hazard evaluation is based on information from similar products, the ingredients, technical literature, and/or professional experience. | | | | | | |
| HMIS HAZARD RATINGS | HEALTH FLAMMABILITY PHYSICAL HAZARD ONAL PROTECTIVE EQUIPMENT | 1 0 = INSIGNIFICANT 0 1 = SLIGHT | 2 = MODERATE 3 = HIGH 4 = EXTREME | | | |
| REVISION SUMMARY: This MSDS has been revised in the following sections: Complete format revision | | | | | | |
| | MSDS Prepare | ed by: | | | | |
| The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1. | | | | | | |